

FAST CREW SUPPLIER 1204

910 BHP | 25 KTS | 12 PAX



SPECIFICATIONS:

Fast Pilot Boat / Crew Supplier

GENERAL:

Year Built: 2012, Damen
Port of Registry: Doha
Classification: Bureau Veritas
 I • Hull • MACH
 Special service / Fast Utility Vessel
 Sea Area 3
 (The navigation notation "Sea area 3" is corresponding to sea areas where Hs > 4.0 m is not to exceed for more than 10% of the year.)

DIMENSIONS:

Length Overall: 12.56 m (including appendages)
Length Moulded: 11.47 m
Beam Overall: 3.85 m (including appendages)
Beam (moulded): 3.60 m
Depth at side: 1.67 m (at half length)
Draught max.: 0.80 m (approx.)
GRT / NRT: 15 T / 5 T
DWT: The total maximum deadweight (fuel, persons, cargo, etc) should not exceed 2.50 tonnes.

CAPACITIES:

Fuel Oil: 0.87 m³ / 0.73 tonnes
Fresh Water: 0.08 m³ / 0.08 tonnes
Waste Water: 0.03 m³ / 0.03 tonnes
Deck cargo aft (max): 0.50 tonnes

ACCOMMODATION:

Personnel: 12 (Beurteaux Krue Air Seating)
Crew: 2

MACHINERY & PROPULSION:

Main Engines: 2 x Caterpillar C7 TA
Total Power: 678 BKW / 910 BHP at 2800 rpm Rating E
 Gearbox ZF 286
 Waterjet Ultrajet 340
 Speed 2S Kts rating C - range 150 NM
 Speed 3S Kts Rating E- range 150 NM

Generators: Cumins Onan 4 MDK8H, Voltage 230 V
 Phase(s) 1, Frequency 50 Hz
 Capacity 4T0 kW - 4.0 kVA

SAFETY EQUIPMENT:

6 x Parachute Flares Red
 2 x Lifebouys
 14 x Solas lifejackets

NAVIGATION/ COMMUNICATION:

Radar: 12" Raymarine C120
GPS: Integrated with Radar System
Compass: dashboard mounted Navigator HB-71
Echo Sounder: Integrated with Radar System
VHF: ICOM IC MS05

ADDITIONAL DATA:

Anchor: Pool N 20KG - 15m 10mm chain + 55m 18mm Nylon
 Fixed FiFi Internal system Engine room Marinex (or equiv) Stat X
 Aft Deck Sun Awning
 Lifting Lugs - fore and aft / Hull and Superstructure